

## Systems Above Waterline



The following guidance illustrations show typical examples of Marine Sanitation Layouts, where the system is installed 300mm (1ft) above the waterline.

### Advanced

Includes; Diverter Valve for direct discharge overboard, or discharge to tank. Manual Pump to discharge overboard. Deck Pump-out for discharge at Marina

### Entry Level

A basic system which discharges by gravity only  
A simple solution to onboard waste management



- A - Shell Vent
- B - Filter
- C - Deck Pump-Out Fitting
- D - Anti-Syphon Loop
- E - Tank Vent
- F - Tank Inlet
- G - Diverter Valve
- H - Manual Pump
- J - Electric Pump
- K - Gravity Outlet
- L - Deck Outlet
- M - Sea Outlet
- N - Seacock

Note: Not all components appear in each layout. The legend covers all examples. Please see our website for further options, guidance, illustrations, and animations.

## Systems Below Waterline



The following guidance illustrations show typical examples of Marine Sanitation Layouts, where the system is installed below the waterline.

### Entry Level

A basic manual system which discharges to sea only.  
A simple solution to onboard waste management

### Advanced

Includes; Diverter Valve for direct discharge overboard, or discharge to tank. Electric Pump to discharge overboard. Deck Pump-out for discharge at Marina



- A - Shell Vent
- B - Filter
- C - Deck Pump-Out Fitting
- D - Anti-Syphon Loop
- E - Tank Vent
- F - Tank Inlet
- G - Diverter Valve
- H - Manual Pump
- J - Electric Pump
- L - Deck Outlet
- M - Sea Outlet
- N - Seacock

Note: Not all components appear in each layout. The legend covers all examples. Please see our website for further options, guidance, illustrations, and animations.